

NOT ALL OF SSG® PRODUCTS IS LISTED ON THIS PERFORMANCE DATA SHEET. FOR MORE INQUIRIES ON PRODUCTS NOT LISTED HERE, PLEASE REACH OUT TO OUR TEAM AT:

EMAIL: ssglass@singnet.com.sg PHONE: +65 6861 5530 FAX: +65 6861 5439

112 PIONEER ROAD, SINGAPORE 639593

		DE	Pe	rforma	nce Data	V 7							
Product	Category	Code	Colour	Coating Surface	Thickness (mm)	Visible Light (%)			Solar Radiation (%)		U-Value (Summer) (W/m²K)	SHGC	sc
						Trn	Ref out	Ref in	Trn	Ref	Air		
	Low Iron	LowIron	Low Iron	-	6	91	8	8	89	8	5.24	0.90	1.04
	Anti-Reflective	Anti Deflective	Anti Deflective	41 0 42	6	99	0	0	84	12	5.21	0.85	0.9
	Clear	Anti-Reflective Clear	Anti-Reflective Clear	#1 & #2	6	89	8	8	80	13 7	5.21	0.85	0.9
	Clear	Clear	Clear		0	09	-	0	80	- '	5.27	0.64	0.9
	Tinted	Green	Green		6	69	7	7	38	5	5.26	0.56	0.6
	Tinted	Blue	Blue	-	6	57	6	6	44	5	5.26	0.60	0.6
	Tinted	Grey	Grey		6	45	5	5	46	5	5.26	0.61	0.7
	Tinted	Bronze	Bronze	-	6	51	5	5	53	5	5.27	0.66	0.7
	Low-E (H)	SSG A61/52	Clear	#2	6	69	9	10	49	9	3.35	0.58	0.6
	Low-E (H)	SSG A45/39	Clear	#2	6	50	6	9	36	7	3.66	0.49	0.5
	Low-E (H)	SSG A53/45	Clear	#2	6	60	8	9	44	7	2.83	0.53	0.6
	Low-E (H)	SSG A49/48	Clear	#2	6	49	7	10	37	7	2.86	0.48	0.5
	Low-E (H)	SSG A73/62	Clear	#2	6	82	10	11	66	10	2.79	0.70	0.8
	Low-E (H)	SSG C40/26	Green	#2	6	45	6	9	20	5	2.83	0.35	0.4
	Low-E (H)	SSG C63/42	Green	#2	6	69	9	10	39	7	2.80	0.49	0.5
	. 540	666 227/24	21						47		2.04	0.00	
	Low-E (H)	SSG B27/24	Blue	#2	6	31	5	8	17	5	2.84	0.32	0.3
	Low-E (H)	SSG D30/33	Grey	#2	6	35	6	9	28	6	3.35	0.42	0.4
Single Glazing	Low-E (H)	SSG D21/26	Grey	#2	6	24	5	9	20	5	2.84	0.42	0.3
	2000 2 (11)	330 021/20	Cicy	"2		+	-				2.04	0.54	0.5.
	Reflective	SSG A60/55	Clear	#2	6	67	25	29	58	19	3.01	0.62	0.7
	Reflective	SSG A63/67	Clear	#2	6	62	34	35	65	22	5.27	0.69	0.7
	Reflective	SSG A10/20	Clear	#2	6	9	40	42	7	31	3.66	0.21	0.2
	Reflective	SSG A20/30	Clear	#2	6	22	25	29	18	19	4.23	0.34	0.3
	Reflective	SSG A32/41	Clear	#2	6	33	19	26	30	13	4.59	0.45	0.5
	Reflective	SSG A37/47	Clear	#2	6	36	19	23	34	14	4.99	0.49	0.5
	Reflective	SSG A61/51	Clear	#2	6	50	16	21	47	12	5.18	0.60	0.6
	Reflective	SSG C43/29	Green	#2	6	48	16	27	23	8	3.01	0.37	0.4
	Reflective	SSG C31/39	Green	#2	6	30	18	32	20	10	5.27	0.42	0.4
	D-fl.	CCC P24/20	D ¹	42		1 25	1.1	22	25	40	F 37	0.45	2.5
	Reflective	SSG B24/38	Blue	#2	6	25	14	32	25	10	5.27	0.45	0.5
	Reflective Reflective	SSG B41/45	Blue Blue	#2	6	23	17 7	34 21	33 12	11 6	5.27	0.51	0.59
	Kellective	SSG B35/29	Blue	#2	0	23	'	21	12	- B	2.85	0.28	0.3
	Reflective	SSG D29/48	Grey	#2	6	31	12	34	36	10	5.27	0.53	0.6
	Reflective	SSG D29/33	Grey	#2	6	32	10	27	29	9	3.01	0.33	0.4
	Helicotive	333 523,33	Sic,	"-		32	1			Ť	3.01	0.72	0.40
	Reflective	SSG E34/38	Bronze	#2	6	38	11	27	35	10	3.01	0.46	0.53
		,											



NOT ALL OF SSG® PRODUCTS IS LISTED ON THIS PERFORMANCE DATA SHEET. FOR MORE INQUIRIES ON PRODUCTS NOT LISTED HERE, PLEASE REACH OUT TO OUR TEAM AT:

EMAIL: ssglass@singnet.com.sg

PHONE: +65 6861 5530

FAX: +65 6861 5439

112 PIONEER ROAD, SINGAPORE 639593

		DE	Pei	rforma	nce Data	V/							
Product	Category	Code	Colour	Coating Surface	Thickness (mm)	Visible Light (%)			Solar Radiation (%)		U-Value (Summer) (W/m²K)	SHGC	sc
					24 (5 (42 (5)	Trn	Ref out	Ref in	Trn	Ref	Air	0.00	0.05
	Low Iron	LowIron/LowIron	Low Iron	-	24 (6/12/6)	84	15	15	80	15	2.84	0.82	0.95
	Anti-Reflective	AR/AR	Anti-Reflective	#1 - #4	24 (6/12/6)	98	1	1	74	21	2.81	0.76	0.87
	Clear	Class/Class	Clear		24 (6 (12 (6)	90	1.4	14	64	12	2.96	0.72	0.84
	Clear	Clear/Clear	Clear	-	24 (6/12/6)	80	14	14	04	12	2.86	0.73	0.84
	Tinted	Green/Clear	Green	-	24 (6/12/6)	62	11	13	32	7	2.86	0.44	0.51
	Tinted	Blue/Clear	Blue		24 (6/12/6)	51	9	13	36	7	2.86	0.48	0.55
	Tinted	Grey/Clear	Grey	-	24 (6/12/6)	40	7	12	36	7	2.85	0.49	0.56
	Tinted	Bronze/Clear	Bronze	-	24 (6/12/6)	45	8	12	41	7	2.85	0.53	0.61
	Low-E (H)	SSG A61/52	Clear	#2	24 (6/12/6)	61	13	16	40	11	2.17	0.49	0.56
	Low-E (H)	SSG A45/39	Clear	#2	24 (6/12/6)	44	9	15	29	8	2.30	0.40	0.46
	Low-E (H)	SSG A53/45	Clear	#2	24 (6/12/6)	54	11	15	36	9	1.92	0.45	0.52
	Low-E (H)	SSG A49/48	Clear	#2	24 (6/12/6)	44	9	16	30	8	1.94	0.40	0.46
	Low-E (H)	SSG A73/62	Clear	#2	24 (6/12/6)	74	16	17	54	13	1.91	0.62	0.72
	Low F (II)	SSC C40/2C	Grass	#2	24 (6/12 (6)	40		15	17		1.02	0.27	0.21
	Low-E (H)	SSG C40/26	Green	#2	24 (6/12/6)	40	8	15	17	6	1.92	0.27	0.31
	Low-E (H)	SSG B27/24	Blue	#2	24 (6/12/6)	27	6	14	14	5	1.93	0.24	0.28
	2017 2 (11)	000001,721	2100	#2	(0,, 0,		<u> </u>			Ť	2.00		0.20
	Low-E (H)	SSG D30/33	Grey	#2	24 (6/12/6)	31	7	15	22	7	2.17	0.33	0.38
	Low-E (H)	SSG D21/26	Grey	#2	24 (6/12/6)	22	6	15	16	6	1.93	0.26	0.30
	Low-E (S)	SSG A72/39	Clear	#2	24 (6/12/6)	70	13	14	31	42	1.55	0.35	0.40
	Low-E (S)	SSG A61/34	Clear	#2	24 (6/12/6)	60	13	13	26	38	1.54	0.31	
	Low-E (S)	SSG A50/26 SSG A40/21	Clear Clear	#2	24 (6/12/6) 24 (6/12/6)	50 39	16 19	13 15	21 16	41 46	1.55 1.56	0.25	
	Low-E (S)	SSG A37/20	Clear	#2	24 (6/12/6)	37	17	16	15	40	1.55	0.20	
	Low-E (S)	SSG A31/18	Clear	#2	24 (6/12/6)	31	21	15	13	36	1.56	0.18	0.21
	Low-E (S)	SSG A70/38GS	Clear	#2	24 (6/12/6)	70	13	14	34	36	1.58	0.38	0.44
Double Glazing	Low-E (S)	SSG A61/32GS	Clear	#2	24 (6/12/6)	61	14	14	28	39	1.57	0.32	0.37
Double Glazing	Low-E (S)	SSG A48/26GS	Clear	#2	24 (6/12/6)	48	13	17	22	36	1.57	0.26	0.30
	Low-E (S)	SSG A40/22GS	Clear	#2	24 (6/12/6)	40	18	14	18	40	1.59	0.22	0.36 0.29 0.23 0.23 0.21 0.44 0.37 0.30 0.25 0.21 0.33 0.31
	Low-E (S)	SSG A30/19GS	Clear	#2	24 (6/12/6)	30	15	19	13	30	1.60	0.19	
	Low-E (S)	SSG F67/29	Clear Clear	#2	24 (6/12/6) 24 (6/12/6)	67 59	13 14	14 13	26	48	1.54	0.29	
	Low-E (S) Low-E (S)	SSG F59/27 SSG F49/23	Clear	#2	24 (6/12/6)	49	11	13	23 19	45 42	1.54 1.54	0.27	0.31
	Low-E (S)	SSG A51/23B	Clear	#2	24 (6/12/6)	51	12	19	19	37	1.53	0.23	0.27
	Low-E (S)	SSG A64/27	Clear	#2	24 (6/12/6)	64	13	14	24	40	1.48	0.27	0.32
	Low-E (S)	SSG A70/39	Clear	#2	24 (6/12/6)	70	11	12	34	28	1.53	0.39	0.45
	Low-E (S)	SSG F71/30	Clear	#2	24 (6/12/6)	68	13	14	26	54	1.48	0.28	0.32
	Low-E (S)	SSG A66/28	Clear	#2	24 (6/12/6)	67	13	14	25	49	1.48	0.28	0.32
	Reflective	SSG A60/55	Close	#2	24 (6/12/6)	61	20	21	47	21	2.01	0.56	0.64
	Reflective Reflective	SSG A60/55 SSG A63/67	Clear Clear	#2	24 (6/12/6)	61 57	29 37	31 36	47 51	21 26	2.01 2.85	0.56	0.64
	Reflective	SSG A10/20	Clear	#2	24 (6/12/6)	8	40	42	6	31	2.30	0.15	0.03
	Reflective	SSG A20/30	Clear	#2	24 (6/12/6)	19	26	31	15	20	2.52	0.25	0.29
	Reflective	SSG A32/41	Clear	#2	24 (6/12/6)	29	19	29	24	14	2.65	0.35	0.40
	Reflective	SSG A37/47	Clear	#2	24 (6/12/6)	33	20	27	27	15	2.77	0.39	0.45
	Reflective	SSG A61/51	Clear	#2	24 (6/12/6)	45	18	25	38	13	2.83	0.49	0.56
	Poflostino	SSG C43/29	Green	#2	24 (6/12/6)	44	17	20	20		2.01	0.20	0.24
	Reflective Reflective	SSG C43/29 SSG C31/39	Green	#2	24 (6/12/6) 24 (6/12/6)	27	17 19	30 34	20 17	9	2.01 2.85	0.29	0.34
	nenective	333 631/33	Green —	#2	27 (0/12/0)	/	13	3+	1/	10	2.03	5.50	0.54
	Reflective	SSG B24/38	Blue	#2	24 (6/12/6)	22	14	34	20	10	2.85	0.33	0.38
	Reflective	SSG B41/45	Blue	#2	24 (6/12/6)	36	18	35	27	12	2.85	0.39	0.45
	Reflective	SSG B35/29	Blue	#2	24 (6/12/6)	21	7	25	11	6	1.93	0.20	0.24
				#2									
	Reflective	SSG D29/48	Grey	#2	24 (6/12/6)	28	13	35	29	11	2.85	0.41	0.47
	Reflective	SSG D29/33	Grey	#2	24 (6/12/6)	29	11	30	24	9	2.01	0.34	0.39
	Reflective	SSG E34/38	Propre	#2	24 (6/12/6)	24	12	20	20	11	2.01	0.30	0.44
L	Reflective	33U E34/38	Bronze	#2	Z4 (0/1Z/0)	34	13	30	28	11	2.01	0.38	0.44



NOT ALL OF SSG® PRODUCTS IS LISTED ON THIS PERFORMANCE DATA SHEET. FOR MORE INQUIRIES ON PRODUCTS NOT LISTED HERE, PLEASE REACH OUT TO OUR TEAM AT:

EMAIL: ssglass@singnet.com.sg PHONE: +65 6861 5530 FAX: +65 6861 5439

112 PIONEER ROAD, SINGAPORE 639593

			Pei	Torma	ince Data	,	/isible Li	ght		lar	U-Value		
Product	Category	Code	Colour	Coating Surface	Thickness (mm)	Visible Light (%)			Radiation (%)		(Summer) (W/m²K)	SHGC	sc
						Trn	Ref out	Ref in	Trn	Ref	Air		
	Low Iron	LowIron/LowIron	Low Iron		13.52 (6/1.52/6)	90	8	8	80	8	4.88	0.84	0.9
	Anti-Reflective	AR/AR	Anti-Reflective	#1 & #4	13.52 (6/1.52/6)	98	0	0	78	12	4.85	0.81	0.9
	Clear	Clear/Clear	Clear	-	13.52 (6/1.52/6)	85	8	8	61	6	5.05	0.71	0.8
	Tinted	Cura va (Classia	C-12-2-2-2-2		42.52 (6/4.52/6)		-	-	22	-	5.05	0.52	0.0
	Tinted	Green/Clear	Green	-	13.52 (6/1.52/6)	66	7	7	32	5	5.05	0.52	0.6
	Tinted	Blue/Clear	Blue		13.52 (6/1.52/6)	55 43	6 5	6	35 35	5	5.05	0.54 0.55	0.6
	Tinted Tinted	Grey/Clear Bronze/Clear	Grey Bronze	-	13.52 (6/1.52/6) 13.52 (6/1.52/6)	49	5	6	41	5	5.05 5.05	0.58	0.6
	Tillted	Bronze/Clear	Bronze		13.32 (0/1.32/0)	43	3	0	41		3.03	0.36	0.0
	Low-E (H)	SSG A61/52	Clear	#4	13.52 (6/1.52/6)	66	9	10	41	7	3.26	0.52	0.6
	Low-E (H)	SSG A45/39	Clear	#4	13.52 (6/1.52/6)	48	7	9	30	6	3.55	0.45	0.0
	Low-E (H)	SSG A53/45	Clear	#4	13.52 (6/1.52/6)	58	7	9	37	6	2.71	0.49	0.5
	Low-E (H)	SSG A49/48	Clear	#4	13.52 (6/1.52/6)	47	7	10	31	6	2.74	0.44	0.5
	Low-E (H)	SSG A73/62	Clear	#4	13.52 (6/1.52/6)	81	10	11	61	8	2.73	0.67	0.7
		·			,,,,,,								
	Low-E (H)	SSG C40/26	Green	#4	13.52 (6/1.52/6)	43	6	9	18	5	2.72	0.34	0.4
	Low-E (H)	SSG B27/24	Blue	#4	13.52 (6/1.52/6)	29	5	8	15	5	2.73	0.32	0.3
	Low-E (H)	SSG D30/33	Grey	#4	13.52 (6/1.52/6)	33	6	9	23	5	3.26	0.39	0.4
	Low-E (H)	SSG D21/26	Grey	#4	13.52 (6/1.52/6)	23	5	9	16	5	2.73	0.33	0.3
Laminated	Low-E (S)	SSG A70/38GS	Clear	#2	13.52 (6/1.52/6)	69	12	13	31	37	4.93	0.40	0.4
	Low-E (S)	SSG A61/32GS	Clear	#2	13.52 (6/1.52/6)	59	12	14	25	39	4.93	0.35	0.4
	Low-E (S)	SSG A48/26GS	Clear	#2	13.52 (6/1.52/6)	44	11	23	19	37	4.93	0.32	0.3
	Low-E (S)	SSG A40/22GS	Clear	#2	13.52 (6/1.52/6)	38	15	17	16	40	4.93	0.28	0.3
	Low-E (S)	SSG A30/19GS	Clear	#2	13.52 (6/1.52/6)	27	16	26	11	30	4.93	0.28	0.3
	Low-E (S)	SSG A51/23B	Clear	#2	13.52 (6/1.52/6)	45	14	25	16	39	4.88	0.31	0.3
	Low-E (S)	SSG A64/27	Clear	#2	13.52 (6/1.52/6)	60	14	16	23	50	4.88	0.32	0.3
	Low-E (S)	SSG A70/39	Clear	#2	13.52 (6/1.52/6)	72	9	10	33	28	4.88	0.45	0.5
	Low-E (S)	SSG F71/30	Clear	#2	13.52 (6/1.52/6)	67	17	18	25	56	4.88	0.31	0.3
	Low-E (S)	SSG A66/28	Clear	#2	13.52 (6/1.52/6)	68	15	17	26	48	4.88	0.34	0.3
	Pofloativo	SSC NED IST	Class	#2	12 52 (6/1 52/0)	72	21	21	E7	15	E OF	0.66	
	Reflective	SSG A63/67	Clear	#2	13.52 (6/1.52/6)	72	21	21	57 13	15 29	5.05	0.66	0.7
	Reflective Reflective	SSG A10/20 SSG A20/30	Clear Clear		13.52 (6/1.52/6) 13.52 (6/1.52/6)	17	33 27	26 22	15	29	5.05 5.05	0.32	0.3
	Reflective	SSG A20/30	Clear	#2	13.52 (6/1.52/6)	32	19	15	23	15	5.05	0.36	0.4
	Reflective	SSG A32/41 SSG A37/47	Clear	#2	13.52 (6/1.52/6)	37	17	14	27	14	5.05	0.43	0.5
	Reflective	SSG A61/51	Clear	#2	13.52 (6/1.52/6)	50	14	13	40	11	5.05	0.46	0.6
	Reflective	330 701/31	Cical	772	13.32 (0/1.32/0)	30	14	13	70	11	3.03	0.55	0.0
	Reflective	SSG C31/39	Green	#2	13.52 (6/1.52/6)	31	16	22	17	9	5.05	0.41	0.4
		332 332,33	5.6611							Ť	2.00	U. 14	J.,
	Reflective	SSG B24/38	Blue	#2	13.52 (6/1.52/6)	26	12	22	20	8	5.05	0.43	0.4
	Reflective	SSG B41/45	Blue	#2	13.52 (6/1.52/6)	46	12	20	30	8	5.05	0.50	0.5
					, ,, = = = , 0)	-							<u> </u>
	Reflective	SSG D29/48				_					1		0.5